

HILUX



| Comfort 4x2 | Valid from: 10th October 202 | 24 | | | | | | | | |
|---|------------------------------|----------|------------|----------|------|---------|-----|--------------|------------|---------------------------|
| Country 4x2 4x2 / S2 Single Cab 2.4 GD-6 2393 150/110 400 6 M/T 30,600 38,100 Country 4x4 4x4 / S6 Single Cab 2.4 GD-6 2393 150/110 400 6 M/T 32,000 39,900 Comfort 4x4 4x4 / S8 Single Cab 2.4 GD-6 2393 150/110 400 6 M/T 34,100 42,500 Active 4x4 4x4 / SA Single Cab 2.8 GD-6 2755 205/150 420 6 M/T 38,400 47,800 Comfort 4x4 4x4 / SA Single Cab 2.8 GD-6 2755 205/150 420 6 M/T 38,400 50,600 Active 4x4 4x4 / SA Extra Cab 2.8 GD-6 2755 205/150 420 6 M/T 40,600 50,600 Active 4x4 4x4 / EA Extra Cab 2.8 GD-6 2755 205/150 420 6 M/T 41,800 52,100 Country 4x2 4x2 / D0 Double Cab 2.4 GD-6 2393 150/110 400 6 M/T 35,100 43,700 Country 4x4 4x4 / D2 Double Cab 2.4 GD-6 2393 150/110 400 6 M/T 35,100 43,700 Country 4x4 4x4 / D2 Double Cab 2.4 GD-6 2393 150/110 400 6 M/T 40,900 50,700 Comfort Plus 4x4 4x4 / D8 Double Cab 2.4 GD-6 2393 150/110 400 6 M/T 43,500 54,000 Comfort Plus 4x4 4x4 / D8 Double Cab 2.4 GD-6 2393 150/110 400 6 M/T 43,500 54,000 Comfort Plus 4x4 4x4 / D8 Double Cab 2.4 GD-6 2393 150/110 400 6 M/T 43,500 54,000 Comfort Plus 4x4 4x4 / D8 Double Cab 2.8 GD-6 2755 205/150 420 6 M/T 48,200 59,800 Active 4x4 4x4 / DB Double Cab 2.8 GD-6 2755 205/150 420 6 M/T 48,200 59,800 Active 4x4 4x4 / DB Double Cab 2.8 GD-6 2755 205/150 420 6 M/T 56,100 69,600 Active 4x4 4x4 / DB Double Cab 2.8 GD-6 2755 205/150 500 6 A/T 47,500 59,000 | GRADE | SFX | Body type | Engine | ccm | | | Transmission | Free Price | Duty paid (USD w. VAT) |
| Country 4x2 4x2 / S2 Single Cab 2.4 GD-6 2393 150/110 400 6 M/T 30,600 38,100 Country 4x4 4x4 / S6 Single Cab 2.4 GD-6 2393 150/110 400 6 M/T 32,000 39,900 Comfort 4x4 4x4 / S8 Single Cab 2.4 GD-6 2393 150/110 400 6 M/T 34,100 42,500 Active 4x4 4x4 / SA Single Cab 2.8 GD-6 2755 205/150 420 6 M/T 38,400 47,800 Comfort 4x4 4x4 / SA Single Cab 2.8 GD-6 2755 205/150 420 6 M/T 38,400 50,600 Active 4x4 4x4 / SA Extra Cab 2.8 GD-6 2755 205/150 420 6 M/T 40,600 50,600 Active 4x4 4x4 / EA Extra Cab 2.8 GD-6 2755 205/150 420 6 M/T 41,800 52,100 Country 4x2 4x2 / D0 Double Cab 2.4 GD-6 2393 150/110 400 6 M/T 35,100 43,700 Country 4x4 4x4 / D2 Double Cab 2.4 GD-6 2393 150/110 400 6 M/T 35,100 43,700 Country 4x4 4x4 / D2 Double Cab 2.4 GD-6 2393 150/110 400 6 M/T 40,900 50,700 Comfort Plus 4x4 4x4 / D8 Double Cab 2.4 GD-6 2393 150/110 400 6 M/T 43,500 54,000 Comfort Plus 4x4 4x4 / D8 Double Cab 2.4 GD-6 2393 150/110 400 6 M/T 43,500 54,000 Comfort Plus 4x4 4x4 / D8 Double Cab 2.4 GD-6 2393 150/110 400 6 M/T 43,500 54,000 Comfort Plus 4x4 4x4 / D8 Double Cab 2.8 GD-6 2755 205/150 420 6 M/T 48,200 59,800 Active 4x4 4x4 / DB Double Cab 2.8 GD-6 2755 205/150 420 6 M/T 48,200 59,800 Active 4x4 4x4 / DB Double Cab 2.8 GD-6 2755 205/150 420 6 M/T 56,100 69,600 Active 4x4 4x4 / DB Double Cab 2.8 GD-6 2755 205/150 500 6 A/T 47,500 59,000 | | | | | | | | | | |
| Country 4x4 | Comfort 4x2 | 4x2 / S4 | Single Cab | 2.4 GD-6 | 2393 | 1.36 | 400 | 6 M/T | 31,800 | 39,600 |
| Comfort 4x4 4x4 / S8 Single Cab 2.4 GD-6 2393 150/110 400 6 MT 34,100 42,500 Active 4x4 4x4 / SA Single Cab 2.8 GD-6 2755 205/150 420 6 MT 38,400 47,800 Comfort 4x4 / 3J Single CaB 2.4 GD-6 2393 150/110 400 6 AT 40,600 50,600 Active 4x4 4x4 / EA Extra Cab 2.8 GD-6 2755 205/150 420 6 MT 41,800 52,100 Country 4x2 4x2 / D0 Double Cab 2.4 GD-6 2393 150/110 400 6 MT 35,100 43,700 Country 4x4 4x4 / D2 Double Cab 2.4 GD-6 2393 150/110 400 6 MT 40,900 50,700 Comfort Plus 4x4 4x4 / DB Double Cab 2.4 GD-6 2393 150/110 400 6 MT 43,500 54,000 Comfort Plus 4x4 4x4 / DB Double Cab 2.4 GD-6 2393 150/110 40 | Country 4x2 | 4x2 / S2 | Single Cab | 2.4 GD-6 | 2393 | 150/110 | 400 | 6 M/T | 30,600 | 38,100 |
| Active 4x4 4x4 / SA Single Cab 2.8 GD-6 2755 205/150 420 6 MT 38,400 47,800 Comfort 4x4 / 3J Single CaB 2.4 GD-6 2393 150/110 400 6 A/T 40,600 50,600 Active 4x4 4x4 / EA Extra Cab 2.8 GD-6 2755 205/150 420 6 MT 41,800 52,100 Country 4x2 4x2 / D0 Double Cab 2.4 GD-6 2393 150/110 400 6 MT 35,100 43,700 Country 4x4 4x4 / D2 Double Cab 2.4 GD-6 2393 150/110 400 6 MT 40,900 50,700 Comfort Plus 4x4 4x4 / D6 Double Cab 2.4 GD-6 2393 150/110 400 6 MT 43,500 54,000 Comfort Plus 4x4 4x4 / D8 Double Cab 2.4 GD-6 2393 150/110 400 6 AT 44,800 55,600 Active 4x4 4x4 / D8 Double Cab 2.8 GD-6 2755 205/150 42 | Country 4x4 | 4x4 / S6 | Single Cab | 2.4 GD-6 | 2393 | 150/110 | 400 | 6 M/T | 32,000 | 39,900 |
| Comfort 4x4/3J Single CaB 2.4 GD-6 2393 150/110 400 6 AT 40,600 50,600 Active 4x4 4x4 / EA Extra Cab 2.8 GD-6 2755 205/150 420 6 MT 41,800 52,100 Country 4x2 4x2 / D0 Double Cab 2.4 GD-6 2393 150/110 400 6 MT 43,510 43,700 Country 4x4 4x4 / D2 Double Cab 2.4 GD-6 2393 150/110 400 6 MT 40,900 50,700 Comfort Plus 4x4 4x4 / D6 Double Cab 2.4 GD-6 2393 150/110 400 6 MT 43,500 54,000 Comfort Plus 4x4 4x4 / D8 Double Cab 2.4 GD-6 2393 150/110 400 6 A/T 44,800 55,600 Active 4x4 4x4 / D8 Double Cab 2.8 GD-6 2755 205/150 420 6 MT 48,200 59,800 Adventure 4x4 4x4 / DE Double Cab 2.8 GD-6 2755 205/150 4 | Comfort 4x4 | 4x4 / S8 | Single Cab | 2.4 GD-6 | 2393 | 150/110 | 400 | 6 M/T | 34,100 | 42,500 |
| Active 4x4 4x4 / EA Extra Cab 2.8 GD-6 2755 205/150 420 6 MT 41,800 52,100 Country 4x2 4x2 / D0 Double Cab 2.4 GD-6 2393 150/110 400 6 MT 35,100 43,700 Country 4x4 4x4 / D2 Double Cab 2.4 GD-6 2393 150/110 400 6 MT 40,900 50,700 Comfort Plus 4x4 4x4 / D6 Double Cab 2.4 GD-6 2393 150/110 400 6 MT 43,500 54,000 Comfort Plus 4x4 4x4 / D8 Double Cab 2.4 GD-6 2393 150/110 400 6 A/T 44,800 55,600 Active 4x4 4x4 / DA Double Cab 2.8 GD-6 2755 205/150 420 6 MT 48,200 59,800 Adventure 4x4 4x4 / DE Double Cab 2.8 GD-6 2755 205/150 420 6 MT 48,200 59,600 Active 4x4 4x4 / DC Double Cab 2.8 GD-6 2755 205/150 | Active 4x4 | 4x4 / SA | Single Cab | 2.8 GD-6 | 2755 | 205/150 | 420 | 6 M/T | 38,400 | 47,800 |
| Country 4x2 4x2 / D0 Double Cab 2.4 GD-6 2393 150/110 400 6 MT 35,100 43,700 Country 4x4 4x4 / D2 Double Cab 2.4 GD-6 2393 150/110 400 6 MT 40,900 50,700 Comfort Plus 4x4 4x4 / D6 Double Cab 2.4 GD-6 2393 150/110 400 6 MT 43,500 54,000 Comfort Plus 4x4 4x4 / D8 Double Cab 2.4 GD-6 2393 150/110 400 6 A/T 44,800 55,600 Active 4x4 4x4 / DA Double Cab 2.8 GD-6 2755 205/150 420 6 MT 48,200 59,800 Active 4x4 4x4 / DE Double Cab 2.8 GD-6 2755 205/150 420 6 MT 46,100 69,600 Active 4x4 4x4 / DC Double Cab 2.8 GD-6 2755 205/150 500 6 A/T 47,500 59,000 | Comfort | 4x4 / 3J | Single CaB | 2.4 GD-6 | 2393 | 150/110 | 400 | 6 A/T | 40,600 | 50,600 |
| Country 4x4 4x4 / D2 Double Cab 2.4 GD-6 2393 150/110 400 6 MT 40,900 50,700 Comfort Plus 4x4 4x4 / D6 Double Cab 2.4 GD-6 2393 150/110 400 6 MT 43,500 54,000 Comfort Plus 4x4 4x4 / D8 Double Cab 2.4 GD-6 2393 150/110 400 6 A/T 44,800 55,600 Active 4x4 4x4 / DA Double Cab 2.8 GD-6 2755 205/150 420 6 MT 48,200 59,800 Active 4x4 4x4 / DE Double Cab 2.8 GD-6 2755 205/150 420 6 MT 56,100 69,600 Active 4x4 4x4 / DC Double Cab 2.8 GD-6 2755 205/150 500 6 A/T 47,500 59,000 | Active 4x4 | 4x4 / EA | Extra Cab | 2.8 GD-6 | 2755 | 205/150 | 420 | 6 M/T | 41,800 | 52,100 |
| Comfort Plus 4x4 4x4 / D6 Double Cab 2.4 GD-6 2393 150/110 400 6 MT 43,500 54,000 Comfort Plus 4x4 4x4 / D8 Double Cab 2.4 GD-6 2393 150/110 400 6 A/T 44,800 55,600 Active 4x4 4x4 / DA Double Cab 2.8 GD-6 2755 205/150 420 6 M/T 48,200 59,800 Adventure 4x4 4x4 / DE Double Cab 2.8 GD-6 2755 205/150 420 6 M/T 56,100 69,600 Active 4x4 4x4 / DC Double Cab 2.8 GD-6 2755 205/150 500 6 A/T 47,500 59,000 | Country 4x2 | 4x2 / D0 | Double Cab | 2.4 GD-6 | 2393 | 150/110 | 400 | 6 M/T | 35,100 | 43,700 |
| Comfort Plus 4x4 4x4 / D8 Double Cab 2.4 GD-6 2393 150/110 400 6 A/T 44,800 55,600 Active 4x4 4x4 / DA Double Cab 2.8 GD-6 2755 205/150 420 6 M/T 48,200 59,800 Adventure 4x4 4x4 / DE Double Cab 2.8 GD-6 2755 205/150 420 6 M/T 56,100 69,600 Active 4x4 4x4 / DC Double Cab 2.8 GD-6 2755 205/150 500 6 A/T 47,500 59,000 | Country 4x4 | 4x4 / D2 | Double Cab | 2.4 GD-6 | 2393 | 150/110 | 400 | 6 M/T | 40,900 | 50,700 |
| Active 4x4 4x4 / DA Double Cab 2.8 GD-6 2755 205/150 420 6 M/T 48,200 59,800 Adventure 4x4 4x4 / DE Double Cab 2.8 GD-6 2755 205/150 420 6 M/T 56,100 69,600 Active 4x4 4x4 / DC Double Cab 2.8 GD-6 2755 205/150 500 6 A/T 47,500 59,000 | Comfort Plus 4x4 | 4x4 / D6 | Double Cab | 2.4 GD-6 | 2393 | 150/110 | 400 | 6 M/T | 43,500 | 54,000 |
| Adventure 4x4 4x4 / DE Double Cab 2.8 GD-6 2755 205/150 420 6 M/T 56,100 69,600 Active 4x4 4x4 / DC Double Cab 2.8 GD-6 2755 205/150 500 6 A/T 47,500 59,000 | Comfort Plus 4x4 | 4x4 / D8 | Double Cab | 2.4 GD-6 | 2393 | 150/110 | 400 | 6 A/T | 44,800 | 55,600 |
| Active 4x4 4x4 / DC Double Cab 2.8 GD-6 2755 205/150 500 6 A/T 47,500 59,000 | Active 4x4 | 4x4 / DA | Double Cab | 2.8 GD-6 | 2755 | 205/150 | 420 | 6 M/T | 48,200 | 59,800 |
| | Adventure 4x4 | 4x4 / DE | Double Cab | 2.8 GD-6 | 2755 | 205/150 | 420 | 6 M/T | 56,100 | 69,600 |
| | Active 4x4 | 4x4 / DC | Double Cab | 2.8 GD-6 | 2755 | 205/150 | 500 | 6 A/T | 47,500 | 59,000 |
| Adventure 4x4 4x4 / DJ Double Cab 2.8 GD-6 2755 205/150 500 6 A/T 57,200 71,100 | Adventure 4x4 | 4x4 / DJ | Double Cab | 2.8 GD-6 | 2755 | 205/150 | 500 | 6 A/T | 57,200 | 71,100 |
| GRS Edition 4x4 4x4 / GR Double Cab 2.8 GD-6 2755 205/150 500 6 A/T 69,600 86,400 | GRS Edition 4x4 | 4x4 / GR | Double Cab | 2.8 GD-6 | 2755 | 205/150 | 500 | 6 A/T | 69,600 | 86,400 |

| EXTRAS | Work | Country | Comfort | Active | Executive | Duty and VAT Free Price (USD) | Duty paid (USD w. VAT) |
|-------------------|------|---------|---------|--------|-----------|-------------------------------------|---------------------------|
| Metallic paint: | 0 | 0 | 0 | 0 | 0 | | |
| Alloy wheels: | 0 | 0 | 0 | 0 | 0 | | |
| Leather interior: | 0 | 0 | 0 | 0 | ٥ | | |

• = Standard ○ = Option —= Not available

5 M/T = 5 speed manual transmission 6 M/T = 6 speed manual transmission 6 A/T = 6 speed automatic transmission

CONTACT US:

LUSAKA CAIRO RD BRANCH Nothend Cairo road- Lusaka Tel: +260971 268 000

LUSAKA NANGWENYA BRANCH Nangwenya Road- Lusaka Tel: +260971 268 000

KITWE COPPERBELT BRANCH Chingola Road-Kitwe Tel: +260971 260 000

LIVINGSTONE BRANCH Plot No. 699- Industrial Road- Livingstone Tel: +260971 268 000

SOLWEZI BRANCH Kansanshi Mine Road Tel: +260971 268 000

website: www.toyotazambia.co.zm e-mail: contact-toyota-zambia@cfao.com



Warranty is valid up to 5 years or 150,000 km for vehicle and 1 year or 30,000 km for conversions, whichever comes first. We reserve the right to alter any details of specifications and equipment without notice. No guarantee is given regarding the accuracy of information within this document. Vehicle body, specifications and trim colours might differ slightly from the data within this document. Please check model availability and full specification details with your Toyota dealer prior to ordering. We cannot accept contractual responsibility for your reliance on the information contained within this document.

HILUX SINGLE CAB

Interior:

Air conditioner (manual) (1C - without)

Fabric seats 2 speakers Bench seat Cup holders Tilt steering Glove box with key

Exterior:

Colour painted front bumper Black front grille Deck guard frame

COUNTRY on top of WORK

Interior:

Radio AM/FM, MP3, CD (13) Steering switch controls (13) Auxiliary input USB (13) Electric power windows (13) Wireless power door lock (13) Electronic adj. outside mirrors (13)

Bench seat

Electric power windows (17)

Auxiliary input USB Steering switch controls

Safety:

VSC - Vehicle Stability Control HAC - Hill Start Assist Contro TSC - Trailer Sway Control

Exterior:

Rear step bumper (1C - without) Mud guards (front and rear)

J-Deck type cargo area (outside hooks)

ABS - Anti-lock Braking System High mounted brake light (LED) Headlamp levelling (manual)
Driver & passenger airbags (SRS) EBD - Electronic Brake force Distribution

Technical:

Exterior:

Headlamp 2-bulb halogen

Technical: Steel wheels

Tyre dimensions 215/65R16C 80L fuel tank capacity Power socket 12V

Vehicle width 1.800 mm Overall length 5.330 mm Overall height 1.690 mm

Min. ground clearance 182 mm (for 2.4 GD-5) Towing capacity 2.500 kg (with brakes)

Steel spare tyre

Pitch and Bounce Control ECO driving indicator Engine oil level warning

Colour painted front bumper Rear step bumper (13) 4WD switch (15)

Driver, Passenger & Driver knee airbag (SRS) Power door lock (auto/speed sensitive) - (13)

Immobilizer and siren (13) Immobilizer (15)

Technical:

Rear differential lock Steel wheels

Tyre dimensions 205R16C (15) Tyre dimensions 225/70R17C (13)

Min. ground clearance 294 mm

Towing capacity 3.500 kg (with brakes) (15) Towing capacity 2.750 kg (with brakes) (13)

Overall height 1.795 mm

COMFORT on top of COUNTRY

Wireless power door lock (17)

Black electronic adj. outside mirrors (17)

Separate front seats Radio AM/FM, MP3, CD

Emergency Brake Signal Immobilizer (16) Immobilizer and siren (17) Exterior:

Side steps Colour painted front bumper Colour painted front grille (13)

Rear step bumper

Technical: Steel wheels

Tyre dimensions 225/70R17

5330 mm

HILUX EXTRA CAB

WORK - STANDARD GRADE

Interior:

Radio AM/FM, MP3, CD Auxiliary input USB Bluetooth audio & hands-free

Steering switch controls Cup holders

2 speakers

Air conditioner (manual)

4WD switch Tilt and telescopic steering adjustment

Power steering Microphone and microphone amplifier

Glove box with key

Power windows (auto up/down for driver)

Power door lock (auto/speed sensitive)
Jam window protection (driver side)
Electronic adj. outside mirrors

ACTIVE on top of WORK Interior: Multimedia touch screen 8" (20 cm)

Reverse camera (back monitor)

Auxiliary input USB High quality fabric seat material

Multi information display (Colour TFT)

Front cool box function Glove box with key and damper Leather steering wheel

Leather shift lever & knob Door trim in high fabric

Safety:

Immobilizer and siren, ultrasonic sensor Side airbags (SRS) Curtain airbags (SRS) Wireless door lock

Exterior:

Colour painted front bumper Mud guards (front and rear)

Over fender wide

A-Deck type cargo area (inside hooks) Black door handles & outside mirrors Front grille in black colour Rear bumper (painted)

Safety: ABS - Anti-lock Braking System

Immobilizer and siren

High mounted brake light (LED) Driver & passenger airbags (SRS) Driver knee airbag (SRS)

EBD - Electronic Brake force Distribution

Technical:

Headlamp 4-bulb halogen Headlamp levelling (manual)

Rear differential lock

Alloy wheels, tyre dimensions 265/65 R17

80L fuel tank capacity Power socket (12V)
Pitch and Bounce Control

ECO driving indicator Engine oil level warning

Steel spare tyre

Optitron gauge lightning

Vehicle width 1.855 mm

Overall length 5.325 mm Overall height 1.810 mm

Min. ground clearance 311 mm

Towing capacity 3.200 kg (with brakes)

Exterior: Side steps with black cover, narrow Chrome door handles & outside mirrors

Chrome rear bumper

Outside mirrors electrically adjustable & retractable

Follow me home lighting system

Technical:

Rain sensor, automatic wipers control

Automatic light control 2 power sockets (12V)

iMT - Intelligent Manual Transmission

Technical: VSC - Vehicle Stability Control

HAC - Hill Start Assist Control DAC - Downhill Assist Control

TSC - Trailer Sway Control
ECO and POWER drive mode selector

Alloy spare tyre

Overall length 5.345 mm Towing capacity 3.500 kg (with brakes)

LED type main Headlamp LED Fog lights

LED rear combination lamps

Auto leveling main headlamps LSD - Auto Limited Slip Differential







HILUX DOUBLE CAB

WORK - STANDARD GRADE

Interior: Power steering Cup holders Radio AM/FM, MP3, CD Auxiliary input USB Bluetooth audio and hands-free

Microphone and microphone amplifier

2 speakers Fabric seat material

Air conditioner (manual)
Tilt and telescopic steering adjustment

Seat belt warning buzzer D+P Floor mats Bench front seat Headlamp levelling (manual) Glove box with key Power door lock (4x4)

Wireless power door lock (4x4)

Power windows (4x4) Auto Up & Down - Driver

Exterior: Deck guard frame

Black door handles & outside mirrors Colour painted front bumper Black front grille Mud guards (front and rear) J-Deck type cargo area (outside hooks)

Electronic adj. outside mirrors (4x4)

Safety: ABS - Anti-lock Braking System EBD - Electronic Brake force Distribution BA - Brake Assist

High mounted brake light (LED) Driver & passenger airbags (SRS)

Driver knee airbag (SRS)
ISOFIX points for child safety on rear outer seats (x2)

Vehicle Stability Control (4x4)

HAC - Hill Start Assist Control, automatic (4x4)

Safety: TSC - Trailor Sway Control (4x4)

Technical:

Headlamp 2-bulb halogen Tyre dimensions 225/70R17C

Steel wheels

80L fuel tank capacity Rear differential lock 1 power socket 12V Vehicle width 1.800 mm Overall height 1.815 mm Overall length 5.325 mm Min. ground clearance 310 mm

Towing capacity 3.500/2750 kg (with brakes)

Engine oil level warning ECO driving indicator Pitch and Bounce Control Steel spare tyre

COUNTRY - on top of WORK

Interior: Separate front seats Seat back pocket 4 speakers (for 4x2)

Exterior: Side steps with black cover, narrow (for 4x2)

Rear bumper (painted)
Colour painted front grille (for 4x2)

Safety:

Technical:

4WD switch (for 4x4 models) Central differential lock (for 4x4)

COMFORT - on top of COUNTRY

Exterior:

Colour painted front grille

A-Deck type cargo area (inside hooks)

Technical:

COMFORT PLUS - on top of COMFORT

Interior:

Multi information display (Colour TFT)

Exterior:

Wide over fender and bumper Turn signals on side mirrors

Exterior:

Without deck guard frame

Safety:

Curtain airbags (SRS) Side airbags (SRS)

Technical:

Tyre dimensions 265/65 R17 Sequential Switch Tronics (1H only) Headlamp 4-bulb halogen

Alloy spare tyre

ACTIVE - on top of COMFORT PLUS

Interior: Leather steering wheel Leather shift lever & knob Chrome details on parking brake Inside door handles in chrome Door trim in high fabric High quality fabric seat material

Interior:

Rear armrest with cupholders Front seat adjustment (Driver) Seat back pocket with hooks

Exterior: Black B pillars Exterior:

Side steps with black cover, narrow Chrome door handles & outside mirrors

ECO and POWER drive mode selector

Sequential Switch Tronics

EXECUTIVE - on top of ACTIVE

Interior

Radio AM/FM, MP3, CD/DVD Multimedia touch screen 8" (20 cm) Reverse camera (back monitor)

Auxiliary input USB

2 power sockets 12V

Power seat adjustment for front D+P (1L and 10)

Power windows auto up/down (all) Window jam protection (all) Glove box with key and damper Automatic air conditioner (1L and 1O) Leather seats (1L and 10) Leather door trim (1L and 10)

Front cool box

Exterior: LED rear combination lamps LED type main headlamps LED Daytime Running Lights Auto levelling main headlamps
Smart entry & Start system ("keyless" entry & start)

Automatic light control

Follow me home lighting system

Outside mirrors electrically adjustable & retractable

LED type front fog lamps Chrome front grille.

Safety:

Immobilizer and siren, ultrasonic sensor

Technical: Tyre dimensions 265/60R18 (1L and 1O only)

Clearance & Back Sonar (1L only)

Cruise control Rain sensor, automatic wipers control

iMT - Intelligent Manual Transmission VSC - Vehicle Stability Control with LSD DAC - Downhill Assist Control HAC - Hill Start Assist Control, auto

A-TRC - Active Traction Control EBS - Emergency Brake Signal TSC - Trailer Sway Control Optitron gauge lightning

*only for 6 A/T Executive models













